

Kraftform Kompakt Turbo i 1, 16 pieces

Kraftform Kompakt Turbo VDE



EAN:	4013288214638	Size:	210x132x82 mm
Part number:	05057484001	Weight:	803 g
Article number:	Kraftform Kompakt Turbo i 1	Country of origin:	CZ
		Customs tariff number:	82054000



- The construction of the Kraftform Turbo allows a quadruplication of the speed when manually screwdriving, especially with metric threads - purely mechanically (without battery)
- Activation and deactivation of the turbo function by a simple push of a button
- The fixable universal gear allows powerful screwdriving and easy fine adjustments
- Robust, maintenance-free gear made of steel (maximum torque 14 Nm)
- Individually tested tool as per IEC 60900 at 10,000 V for safe working at up to 1,000 volts

Many users would like to be able to carry out screwdriving processes faster without compromise. With a screwdriver that is precise, allows powerful screwdriving, and is much faster than a conventional screwdriver. A part time universal gear is the solution: integrated in the handle of the screwdriver, it significantly increases the working speed, especially with metric threads. The Kraftform Turbo accelerates the screwdriving in a purely mechanical way. The turbo function can either be switched on or off by pressing a button. Turning it off is recommended at increasing torque moments, or for fine adjustments and final tightening or loosening of a high torque screw. The robust steel design is maintenance-free and ensures a long product life. The Kraftform Turbo hand holder 827 T i and the individually tested (10,000v) Wera VDE interchangeable blades in the VDE version guarantee fast and safe working even under tension.

Web link











https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html

Wera - Kraftform Kompakt Turbo i 1
05057484001 - 4013288214638

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de


Kraftform Kompakt Turbo VDE

Set contents:

	827 T i Kraftform Turbo 05057481001 1 x 9 x 125 mm
	
	KK 62 iS 05003413001 1 x PH 1 x 154 mm 05003414001 1 x PH 2 x 154 mm
	
	KK 65 iS PZ/S 05003447001 1 x # 1 x 154 mm 05003448001 1 x # 2 x 154 mm
	
	KK 67 iS TORX® 05003437001 1 x TX 15 x 154 mm 05003438001 1 x TX 20 x 154 mm 05003439001 1 x TX 25 x 154 mm
	
	KK 60 iS 05003406001 1 x 0,6 x 3,5 x 154 mm 05003407001 1 x 0,8 x 4 x 154 mm 05003408001 1 x 1 x 5,5 x 154 mm
	


	817 VDE 05003990001 1 x 9 x 102 mm
	
	KK 65 iS PZ 05003455001 1 x PZ 1 x 154 mm 05003456001 1 x PZ 2 x 154 mm
	
	KK 67 i TORX® 05003431001 1 x TX 10 x 154 mm
	
	KK 60 i 05003400001 1 x 0,4 x 2,5 x 154 mm
	
	K120 11990177 1 x 70 x 50 mm
	

Faster screwdriving



The construction of the Kraftform Turbo allows a quadruplication of the speed when manually screwdriving, especially with metric threads - purely mechanically, without electricity!

With and without Turbo



If required, the turbo function can be activated by simply pressing a button. Turning it off is recommended at increasing torque moments, or for fine adjustments and final tightening or loosening of a high torque screw.

Robust, maintenance-free gear made of steel



The robust steel design is maintenance-free and ensures a long product life.

Web link


https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html

Wera - Kraftform Kompakt Turbo i 1
05057484001 - 4013288214638

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Kraftform Kompakt Turbo VDE

Handle/interchangeable blade system



With its 9 mm mounting, the Kraftform Turbo is suitable for all Wera Kraftform Kompakt VDE interchangeable blades. The "holder/interchangeable blade system" stands for flexible working with many screw profiles.

Individually tested



The individual testing at 10,000 volts, in accordance with IEC 60900, ensures safe working with loads up to 1,000 volts.

Kraftform



The basic idea for the prototype of the Kraftform handle – that the hand should dictate the design – has, right through to today, proved to be correct. In cooperation with the internationally recognised Fraunhofer IAO Institute, Wera developed a screwdriver handle designed to match the shape of the human hand as long ago as the 1960s. After a long development phase, the Wera Kraftform handle was launched to the market in 1968. It has been optimised through the years with new technologies, but has kept its proven shape. After all, the human hand has not changed either.

Web link

https://products.wera.de/en/kraftform_kompakt_kraftform_kompakt_turbo_kraftform_kompakt_turbo_i_1.html

Wera - Kraftform Kompakt Turbo i 1
05057484001 - 4013288214638

Wera Werkzeuge GmbH
Korzter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de